

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	79	310/156 and @pd<"20020826" and (rotor with (slot\$1 hole\$1)) and (sine sinusoidal) and method	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 15:14
L4	779	"29"/\$(29/466) and @pd<"20020826" and (rotor with (slot\$1))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 09:57
L5	19	"29"/\$(29/466) and @pd<"20020826" and (rotor with (slot\$1)) and (sine sinusoidal)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 09:40
L6	3	"29"/\$(29/466) and @pd<"20020826" and (rotor with (slot\$1)) and (slots with (die adj cutting))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 10:00
L7	0	310/156 and @pd<"20020826" and (rotor with (slot\$1)) and (slots with (die adj cutting))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 10:00
L8	0	310/? and @pd<"20020826" and (rotor with (slot\$1)) and (slots with (die adj cutting))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 10:00
L9	1	"310"/\$ and @pd<"20020826" and (rotor with (slot\$1)) and (slots with (die adj cutting))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 10:01
L10	2	"310"/\$ and @pd<"20020826" and (slots with (die adj cutting))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 10:04
L11	60	"310"/\$ and @pd<"20020826" and (slots with (laser))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 10:05
L12	23	"310"/\$ and @pd<"20020826" and (slots with (laser)) and (rotor with slots)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 10:08
L13	0	"310"/\$ and @pd<"20020826" and (slots with (laser adj cutting)) and (rotor with slots)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 10:08
L14	0	"310"/\$ and @pd<"20020826" and (slots with (laser adj cutting))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 10:12
L15	1	("4685202").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/30 10:09
L16	27	"310"/\$ and @pd<"20020826" and (slots with (drilling))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 10:14

EAST Search History

L17	6	"310"/\$ and @pd<"20020826" and (slots with (drilling)) and (slot\$1 with axial)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 10:14
L18	10	"29"/\$(29/466) and (rotor with slots) and (sine sinusodial) and bearings	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 10:29
L20	70	310/156 and @pd<"20020826" and (rotor with (slot\$1 hole\$1)) and ((sine sinusoidal) with (flux gap))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 10:50
L21	33	310/156 and @pd<"20020826" and (rotor with (slot\$1 hole\$1)) and ((sine sinusoidal) with (flux gap)) and method	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 11:23
L22	733	310/156 and @pd<"20020826" and (rotor with (slot\$1 hole\$1)) and (rotor with magnets)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 11:25
L23	412	310/156 and @pd<"20020826" and (rotor with (slot\$1 hole\$1)) and (rotor with magnets) and (magnet\$1 with outer)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 12:41
L24	454	310/156 and @pd<"20020826" and (rotor with (slot\$1 hole\$1)) and (rotor with magnets) and (magnet\$1 with surface)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 12:58
L25	871	"310"/\$ and @pd<"20020826" and (rotor with (slot\$1 hole\$1)) and (rotor with magnets) and (magnet\$1 with surface)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 12:58
L26	12	310/156 and @pd<"20020826" and ((maximum with flux) with slot\$1)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 13:37
L27	9	310/156 and @pd<"20020826" and ((maximum with flux) with (pole with center))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 14:49
L28	120	310/156 and @pd<"20020826" and ((magnetic with flux) with (pole with center))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 13:56
L29	1	("4658165").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/30 14:47
L30	13	("4658165").URPN.	USPAT	OR	ON	2007/03/30 14:47
L31	4	("4127786" "4302693" "4403161" "4486678").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 14:47

EAST Search History

L32	851	310/156 and @pd<"20020826" and (rotor with (slot\$1 hole\$1))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 15:14
L33	1	("5386161").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/30 16:29
L34	0	310/156.\$ and (slots with (die adj cutting))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 16:57
L35	3	"310"/\$ and (slots with (die adj cutting))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 17:03
L36	6	"310"/\$ and (slots with (drilling)) and (slots with axial)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 17:04
L37	22	29/\$(29/466) and (slots with (drilling)) and (slots with axial)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 17:07
L38	0	310/% and (drilling with holes) and (drilling with rotor)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 17:07
L39	48	"310"/\$ and (drilling with holes) and (drilling with rotor)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 17:26
L40	814	"310"/\$ and ((magnets with surface) with rotor) and ((holes slots) with core)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 17:30
L41	481	"310"/\$ and @ad<"20020826" and ((magnets with surface) with rotor) and ((holes slots) with core)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 17:31
S1	15	"4658165"	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/28 14:59
S2	1	("4658165").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/28 16:17
S3	1	("2002034185").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2007/03/28 15:00
S4	27	310/156.57 and @pd<"20030826"	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/28 16:27
S5	64	310/156.53 and @pd<"20030826"	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/28 17:05

EAST Search History

S7	24	310/156.53 and @pd<"20030826" and ((rotor with iron) (core with iron))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 11:11
S8	5	310/156.51 and @pd<"20030826" and ((rotor with iron) (core with iron))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/28 17:32
S9	0	310/156.52 and @pd<"20030826" and ((rotor with iron) (core with iron))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/28 17:33
S10	3	310/156.54 and @pd<"20030826" and ((rotor with iron) (core with iron))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 11:09
S11	5	310/156.55 and @pd<"20030826" and ((rotor with iron) (core with iron))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/28 17:35
S12	18	310/156.56 and @pd<"20030826" and ((rotor with iron) (core with iron))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/28 17:40
S13	1	310/156.58 and @pd<"20030826" and ((rotor with iron) (core with iron))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/28 17:41
S14	0	310/156.59 and @pd<"20030826" and ((rotor with iron) (core with iron))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/28 17:41
S15	0	310/156.60 and @pd<"20030826" and ((rotor with iron) (core with iron))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/28 17:41
S16	1	310/156.61 and @pd<"20030826" and ((rotor with iron) (core with iron))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/28 17:42
S17	33	310/53 and @pd<"20030826" and ((rotor with iron) (core with iron))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/28 17:43
S18	863	310/156 and @pd<"20030826" and ((rotor with iron) (core with iron))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 10:24
S19	884	310/156 and @pd<"20030826" and ((rotor with iron) (armature with iron) (core with iron))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 09:35
S20	1	("20020171309").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/29 10:24
S21	10	310/156.54 and @pd<"20030826"	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 11:09

EAST Search History

S22	5	310/156.54 and @pd<"20020826"	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 11:09
S23	64	310/156.53 and @pd<"20030826"	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 11:11
S24	26	310/156.53 and @pd<"20020826"	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 11:15
S25	8	310/156.55 and @pd<"20020826"	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 11:17
S26	15	310/156.56 and @pd<"20020826"	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 11:23
S27	10	310/156.57 and @pd<"20020826"	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 11:24
S28	1	310/156.58 and @pd<"20020826"	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 11:24
S29	1	310/156.59 and @pd<"20020826"	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 11:24
S30	0	310/156.60 and @pd<"20020826"	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 11:24
S31	3	310/156.61 and @pd<"20020826"	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 11:25
S32	5	310/156.48 and @pd<"20020826"	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 12:29
S33	851	310/156 and @pd<"20020826" and (rotor with (slot\$1 hole\$1))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 18:11
S34	151	310/156 and @pd<"20020826" and (rotor with (slot\$1 hole\$1)) and (sine sinusoidal)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 10:44
S35	252	"310"/\$ and @pd<"20020826" and (rotor with (slot\$1 hole\$1)) and (sine sinusoidal) and ((permanent with magnet) magnet)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 15:13
S36	0	("2001150766").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/29 15:06

EAST Search History

S37	1	("6274960").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/29 15:19
S38	8894	Narita	JPO	OR	ON	2007/03/29 15:19
S39	672	Narita and (holes slots)	JPO	OR	ON	2007/03/29 15:20
S40	567	Narita and (holes aperature)	JPO	OR	ON	2007/03/29 15:20
S41	6	(magnet\$4 near rotor) and ((flux barrer) near4 (hole aperature))	JPO	OR	ON	2007/03/29 15:23
S42	8754	(narita).in.	JPO	OR	ON	2007/03/29 15:24
S43	71	(narita).in. and (rotor with core)	JPO	OR	ON	2007/03/29 15:24
S44	28	(narita).in. and (rotor with core) and (hole aperature)	JPO	OR	ON	2007/03/29 15:51
S45	0	("JP11103545").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/29 15:52
S46	0	"JP 11103545"	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 15:52
S47	1	"JP 11103545"	JPO	OR	ON	2007/03/29 15:57
S48	9	("3126493" "3448310" "4469970" "5990593" "6008559" "6087751" "6147428").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 16:15
S49	838	310/156 and @pd<"20020826" and ((rotor with iron) (rotor with core)) and (bearing\$1)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 18:13
S50	555	310/156 and @pd<"20020826" and ((rotor with iron) (iron with core)) and (bearing\$1)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 13:35